

mmWDj gj`t- 750/-

MYcRvZšx evsj v` k mi Kvi
cwi Pvj †Ki Kvh®j q
b`vkbvj BbwiUDU Ae vKWbx vWwR†Rm GÛ BD†i vj Rx
†k†i evsj v bMi , XvKv-1207 |



GgGmAvi µ†qi `icÎ Zdmj t

A_©ermi - 2014-2015Bs

MYcRvZŠx ersj v` k mi Kvi
cvi Pjv tKi KvHj q
b`vkbvj BbWUDU Ae WkWbx WvRtRm GÜ BDti vj Rx
tki -B-ersj v bMi , XvKv|

`icÎ `vZvi vbtR ctb Kviqv ~vji Kvi teb

- 1| e`emvqx cÜZÖv#bi bvg t
- 2| `icÎ `vZvi cY®bvg t
- 3| e`emvqx cÜZÖv#bi WkVbv t
- 4| tUvj tcvb / tgrevBj bs t

.....
e`emvqx cÜZÖv#bi mxj tgvni I Zwi L

.....
`icÎ `vZvi ~vji
(hvvv cieZ®Z vej I Pjv vtb _vKte)

**MYC/RvZŠj ersj v` k mi Kvi
cwi Pvj tKi Kvhfj q
b`vkbvj Bbw÷WUDU Ae wKWbx wWvRtRm GÚ BDtívj Rx
tki -B-ersj v bMi , XvKv|**

Ši K bs-GbAvBtKwWBD/` icĀ /GgGmAvi /2014-15/2516

Zwi Lt 12/10/2014 Bs

b`vkbvj Bbw÷WUDU Ae wKWbx wWvRtRm GÚ BDtívj Rx nvmcvZvtj i GgGmAvi `e`w` μq Kivi wbuqĒE 2014-2015 A_°eQġi i Rb` cKZ ersj v` kx wKv`vi cĀZōvb/e`emvqxi wBKU ntZ `β Lvg wewkó mxj tgvni KZ `icĀ Avnevb Kiv hv`Q|

`icĀ `wLjtj i kZĒj x

`icĀ `vZv`i tK `icĀ `wLjtj i mgq wbaewYZ wbgvej x Abjni Y I kZĒj x cġY KwġtZ nBte-

1| wbtæ Dġj wZ AsġKi `icĀ RvgvZ (Avtbġgwb) tc-AWġ / e`vsK WġDU AvKvġi `icĀ i mvġ_ Rgv w` tZ nBte|

μwgK bs	weeiY	`icĀ RvgvbtZi cwi gvY (Avtbġgwb)
1	GgGmAvi μq	1,00,000/- (GK j ġ) UvKv

2| Dġj wZ `icĀ RvgvZ (Avtbġgwb) ersj v` tki th tKvb Zdmj x e`vsġKi tc-AWġ / e`vsK WġDU Gi gva`tg cwi Pvj K I Aa`vcK, GbAvBtKwWBD, XvKv Gi eiveġi Rgv cġvb KwġtZ nBte Ges tc-AWġ / e`vsK WġDU Gi gj Kwc `icĀ i mvġ_ `wLj KwġtZ nBte (`i`vZvi RgvKZ e`vsK WġDU/tc-AWġ mi eivnKvix e`vsK nBtZ hvPvB ceĒ KvhĒi nBte|) Zdmj x e`vsK e`wZZ Ab` tKvb e`vsK / Aw_Ē cĀZōvġi gva`tg cġ Ē tc-AWġ / e`vsK WġDU MġY Kiv nBte bv|

3| `icĀ wmwDj μtqi gj` eve` 750/- (mvZkZ cĀvk) UvKvi Pvj vġbi gj Kwc cĀZ`K Mġci Rb` Avj v` v Pvj vġbi gva`tg Rgv w` tZ nġe| |

4| `icĀ AvMvgx 12/11/2014 Bs Zwi L mKvj 10:00 NwUKv nBtZ `ġj 12:00 NwUKv chŠ-ġóvi Awdmvi Gi i`g bs-101, `ġ` Ava` Bi, gnvLvj x, XvKv, Ges Dc-cġj k Kwġkbi (tZRMwI), XvKv tġtUġcġj Ub cġj k, 22/5, wLj Rx tivW, tgvnv`š cġj, XvKv-1207 Gi Kvhfj tġ i wġZ evġ- i th tKvb GKwġtZ `wLj Kiv hvBte Ges H w` bB `ġj 12:45 NwUKvi mgq b`vkbvj Bbw÷WUDU Ae wKWbx wWvRtRm GÚ BDtívj Rx nvmcvZvtj i 402 bs Kġġ `icĀ I cġve DbġKiy Kwġw KZĒ `icĀ `vZv / cĀZwbaġ i Dcw`wZtZ (hw` tKn Dcw`Z `vġKb) `icĀ ev` tLjv nBte|

5| `icĀ KivKwġ, NlvgvRv, A`úóKiY BZ`w` m`úY`wġ x| cġYKZ Zġ`i tKvb cwi eZġ ev mġkvaġbi cġqvRb nBtj Zv GKwġ j vBb Uwbqv Kwġqv bZb Kġi mġ`úófvġe wj wLqv `ġġi KwġtZ nBte| `icĀ i th tKvb aiġYi cwi eZġ `icĀ `vZvi AġhvM`Zv wmwte weteiPZ nBte|

6| (K) mxj tgvni KZ Lvġg `icĀ `wLj KwġtZ nBte| Ab`vq D³ `icĀ ewZj ewj qv Mb` nBte| Lvġgi Dci evg cvġkġ`úó Aġġi `i`vZv cĀZōvġi bvg, wKvbw `wKġtZ nBte| (L) `icĀ `β Lvg wewkó ntZ nġe| GKwġ Lvġg gj `icĀ I `icĀ i Pwn`v tgvZvġeK mKj KwMR cĀw` h_vh`fvġe cġb `ġġi I mxj ceĒ mshġ Kġi Lvġgi Dci gj ev Original Copy Kwc Dġj Ē-KġtZ nġe Ges Ab` Lvġg Original `icĀ I Zrmshġ KwMRcĀ Duplicate copy Kġi Lvġgi Dci Duplicate copy wj tL Avj v` v Avj v` v wj Mjv v KiġtZ nġe, AZci Lvg `βwġ Ab` GKwġ Lvġg fġi wj Mjv v Kġi `icĀ Rgv w` tZ nBte|

(M) `icT weAwBtZ Dtt weZ `icT `wLjtj tkl mgq I Zwi tLi gta` `icT `wLj Kwi tZ nBte| wbow`
Zwi L I mgtqi cti `icT `wLj Kiv hvBte bv| |
(N) AmuY;` i wenxb `icT mivmwi ewjZj ewj qv Mb` nBte| `icT `i AstK I K_vq vj wL tZ nBte|

7| `icT i mnZ wbaewZ gj `wj cti mZ wqZ dtUvKw Rgv w` tZ nBte (cieZ`Z `icT `vZv `icT
KwvUi Pwn`v gwcdK Hme `wj mgtni gj Kwc `wLj Kwi tZ eva` _wKteb| wq_v / fj Z_ / AmuY`
Z_` AthvMi` Zv wmvte wetePZ nBte)

(K) nvj bvmv` bevqbKZ tUW jvBtmY, D³ jvBtmY msuké- KvtrI aib Dtt _wKtZ nBte| (L)
nvj bvmv` AvqKi cwi tktvai mb` cI (M) Pj wZ eQtii nvj bvmv` e`vsK KZR cI E Aw_R `^Qj Zv
mb` cti gj Kwc I Aw_R `^Qj Zvi `ctq weMZ 6 gvtmi e`vsK tUtgtdUi gj Kwc| (N) nvj bvmv`
gj` msthvRb Ki cwi tktvai mb` cI | (O) msuké- KvtrI AwfAZvi mb` (P) `icT weAwBi tccvi KwUs
(Q) 2 Kwc mZ wqZ One (R) `icT `vZvi wBR`^e`emv cIZotbi Kvhfj q _wKtZ nBte| fiov ewotZ
e`emv cIZob / Kvhfj q cwi Pvj bvi t`q tI ewoi gwj K nBtZ tgq` Dtt _wKv qv cZ`qb cI Ges wBR
gwj Kvbvxb ewotZ Awdm nBtj gwj Kvbvi cgvb cI ev `wj | (S) wete`k Drcw`Z `e`w` i t`q tI
hw` Avg`vbxKvi K mivmwi `icT AskMhb bv Kti Zvntj Avg`vbxKvi K cIZob t`k Avg`vbxKZ
`te`i Sole/exclusive Distributorship Certificate `i`vZv cIZob t`k (NOC) Aek`B
`wLj Kwi tZ nBte| (T) t`k Drcw`Z `te`i t`q tI Drcv`bKvix KZR cIZotbi Drcv`b
AbgwZ mb` i mZ wqZ dtUvKw Ges mieivn cIZob t`k `e`w` wem tqi wongtE Drcv`bKvix
cIZob KZR t`q wem tqi AbgwZi mb` i mZ wqZ Kwc `wLj Kwi tZ nBte| Ab_vq `icT
Non Response Kiv nBte

8| `i`vZv cIZotbi gwj tki bvtg j`vUtdvb, tgvvBj, d`v` b`st Dtt _wKv qv Zvni Zvj Kv wmwDttj i
mv` mshy` Kwi qv Rgv w` tZ nBte |

9| wmwDttj i mt` mshy` A`xKvi bvgv `i mn `wLj Kwi tZ nBte |

10| KZ` A_ev Zvni gtbvZ cIZobai mshw tgvZteK gwj gwj mgqZ mieivn Kwi tZ e`_nBtj
wKv`vi t`k mieivnKZ gwj gwj wBR Li tP tdi Z wotZ nBte |

11| KZ` i Pwn`v I c`qvRb tgvZteK gwj gwj mgqZ mieivn Kwi tZ e`_nBtj KZ` wKv`vti i
Rvgv tZi UvKv w` qv `vbx evRvi nBtZ gwj gwj mq Kwi qv mieivn wbowDZ Kwi teb Ges Drvi gj`
wKv`vi t`KB enb Kwi tZ nBte Ges D³ cIZotbi wei` t`x AvBvbm e`v` MhY Kiv nBte |

12| c`kvmobK Abtgv`b Ges evRU eivI c`B mvtct` Kvh`k cI vb Kiv nBte| gwj Mhb Ges wej
cwi tktvai wete`q KZ` i w`vSB PdvS-ewj qv wetePZ nBte |

13| MpxZ gwj vgtj i me`b` i MpxZ nBtj I BDRvi KZR cix`v vbi`vi ci gwj gwj MpxZ bv nBtj KZ`
gwj gwj Mhb Kwi tZ eva` b`nb| mieivn KZ gwj gwj msuké- wfvMi BDRvi t` i gZvgtZi wfvE tZ
MhY Kiv nBte| gwj gwj mieivn Kwi tZ e`_nBtj D³ cIZob cieZ`Z `icT AskMhb Kwi tZ
cwi te bv |

14| mieivnKvix t`k wBR`^e`v`cbvq I Li tP KZ` KZR wba`i Z `v`b gwj gwj mieivn I msi`b Kwi tZ
nBte| `icT ewY` `e`w` i cwi gvY evotbv ev Kgvbv, mq Kiv ev bv Kivi `qZv KZ` msi`y Kti b |

15| gwj gwj mieivn Kivi 07 (mvZ) w` tbi gta` KZ` i wBKU Pj vb mn 5 (cuP) Kwc wej `wLj Kwi tZ
nBte| wej cwi tktvai Rb` KZ` t`k t`kv c`Kvi ZvM` t` I qv hvBte bv| c`kvmobK Abtgv`b Ges evRU
eivI c`B mvtct` wej cwi t`kva Kiv nBte |

16| mieivnKvix Dci eZ`q miKvi KZR wba`i Z Ggb me Ki / i e (AvqKi, f`vU) I Avb`w`K Li Pmn`i
`wLj Kwi tZ nBte| miKvix wewa tgvZteK wej nBtZ AvqKi, f`vU BZ`w` KZ` Kiv nBte| wej

cwi tkvtai ci hw` Ki, f'vU BZ'w` i nvi cwieZ⁸ nq ev fj ekZt KZ⁸ Kiv bv nq Zvrv nBtj wKv` vi cieZ⁸Z Zvrv cwi tkva Kwi tZ eva` _wKteb|

- 17| KZKvh⁸ icI`vZvK c⁰E Kvh⁸tki wecixZ 10% nvti Kvh⁸uv`b RvrvbZ wnmvte evsjv`tki th tKvb Zdmjx e'vsK Gi tc-AW⁸i gra'tg cwi Pj K I Aa'vcK, GbAvBtKwWBD, XvKv Gi eivei Rgv c⁰vb Kwi tZ nBte Ges RvrvbZi RgvKZ tc-AW⁸/ e'vsK WtdU A_ermi tkfI Avte`tbi t⁰q⁸tZ tdir c⁰vb Kiv nBte |
- 18| KZKvh⁸ icI`vZvK wba` t⁰q⁸i Kixi msik⁶-`Bti i v⁸q⁸ bgbv tgvZvteK 300 (wZbkZ) UvKvi bb RvWwKqvj o'vt⁰u GKwU Pw³ m⁰uv`b Kwi tZ nBte| bb-RvWwKqvj o'vt⁰u LiP` icI`vZvK enb Kwi tZ nBte|
- 19| `icI` wmwD⁸tj i mKj kZ⁸ej x D³ Pw³i Ask ewj qv weterPZ nBte|
- 20| AKZKvh⁸ icI`vZv`i `icI` RvrvbZ Avte`tbi t⁰q⁸tZ h_vmg⁸q tdi Z` l qv nBte|
- 21| KZKvh⁸ icI`vZv Kvh⁸uv`b RvrvbZ Rgv t` l qvi ci `icI` RvrvbZ tdi Z wotZ cwi teb|
- 22| mieivnKZ AvBtUtgi gta` th mKj AvBtUtgi Mvtq O'RvZxq wKWbx I BD⁸ivj Rx Bw⁰UDU, mi Kvi x m⁰uv`E, wep⁸tqi Rb` b⁸n⁰ K_wU A'tgvObxq Kwj O'v⁸v wj wLevi c⁰qvRb ewj qv KZ⁸q⁸ gtb Kwi teb, H mKj AvBtUtgi Mvtq D³ K_wU wj wLqv w` tZ nBte|
- 23| tKvb c⁰Zovb evRvi `i/o'vUvW⁸i U Gi m⁰nZ AmvgAm`cY⁸ i `wLj Kwi tZ Zvrv ewiZj ewj qv Mb` nBte|
- 24| `icI`i msik⁶-w⁸elq⁸w` w⁸o'uv`E bv nl qv ch⁸-Kvrv⁸iv c⁰E `i RvrvbZ ev c⁰Kv Kwi tZ KZ⁸q⁸ eva` b⁸nb|
- 25| KZ⁸q⁸ tKvb Kvi b`k⁸bv e'wZ⁸t⁸K me⁸bae A_ev th tKvb `icI` M⁸hY, Avs⁸kk M⁸hY wKsev ewiZ⁸tj i q⁸gZv⁸mn `icI` M⁸oc w⁸f⁸w⁸EK / AvBtUg w⁸f⁸w⁸EK M⁸hY Kwi evi q⁸gZv msi q⁸Y K⁸t⁸b| GZ`ms⁸pv⁸S-e'vcvti `icI`vZvi Av⁸ciE M⁸hY t⁸hM` b⁸n| GZ`ms⁸pv⁸S-w⁸el⁸q `icI`vZvMb tKvb AvBtbi Avk⁸q M⁸hb Kwi tZ cwi teb bv|
- 26| mieivnKvi x w⁸w⁸i o' mg⁸tqi gta` gvj vgvj mieivn Kwi tZ e`_q⁸Btj Zvrv⁸i th tKvb cvl bv nBtZ S⁸wK⁸cY⁸q⁸ mg⁸sq Kiv nBte Ges D³ mieivnKvi x c⁰Zovb⁸tK t` l qv Kvh⁸ k ewiZj mn Kvtj v Zwj Kv⁸f⁸ Kiv nBte|
- 27| GKwU AvBtUtgi Rb` GKwU i tenk `i `wLj Kiv hvBte bv|
- 28| `icI`i m⁰nZ c⁰E RvrvbZ wnmvte RgvKZ tc-AW⁸ / e'vsK Gi weeiY ms⁸pv⁸S-di g⁸wU Aek`B` `icI`vZv KZ⁸ c⁰Y Kwi qv t⁰q⁸i ce⁸R Rgv w` tZ nBte Ab`_vq `icI`wU ewiZj ewj qv Mb` nBte|
- 29| `icI` Zdm⁸tj i c⁰Z cvZvq `i`vZv KZ⁸ `icI`i kZ⁸ej x M⁸hY t⁸hM` Zvi w⁸b⁸qZv⁸mPK mxj tgvni Ges Zwi L mn t⁰q⁸i c⁰vb Kwi tZ nBte| wKv` vi c⁰Zovb KZ⁸ Zvrv⁸ i w⁸R`^c⁰v⁸W GbAvBtKwWBD-Gi wmwDj di t⁸gU Ab⁸h⁸vqx `i `wLj Kwi tZ nBte|
- 30| Kvh⁸ k c⁰Bi ci wKv` vi `icI`i wmwD⁸tj D⁸tj w⁸EZ t`_u⁸w⁸cd⁸t⁸Kkb Ab⁸h⁸vqx gvj vgvj mieivn Kwi tZ eva` _wKteb|
- 31| mieivnKZ gvj vgv⁸tj i e`q g⁸Aj x c⁰B mvt⁸t⁸q⁸ mi Kvi x weia tgvZvteK f'vU, U'v- KZ⁸bi ci wej c⁰vb wnmve i q⁸b Kg⁸RZ⁸ t⁸^` l cwi evi Kj `vY g⁸sj⁸vj q, Gw⁸r⁸ve feb, tm_ b ewiMPv, XvKv Gi gra'tg cwi tkva Kiv nBte|

- 32| c0Z`KwU `te`i Mrtq Drcv`tbi ZwiL I tgqv` DExtbP ZwiL Dttj E _vKtZ nBte | th mKj `te`i tttt Drcv`b t_tK 1 (GK) eQi tgqv` _vtK tmB mKj `te`i tttt mieivtni ZwiL nBtZ tgqv` 11 (GMvi) gvm MhY thvM, wKs`th mKj `te`i tgqv` Drcv`b ZwiL nBtZ 2 (`B) eQtii Awak tmB mKj `te`i mieivtni ZwiL nBtZ Kg ctq 18 (Avvi) gvm tgqv` _vKtZ nBte| Ab`_vq D³ `e`w` MhY Kiv nBte bv (c0hvR` tttt)|
- 33| Pj wZ A_eQtii miKvtii woku nBtZ A_c0B mvtctq guj vgtj i Kvh`k chqutg c0vb Kiv nBte| evRU cvl qv bv tttt Kvh`k c0vb Kiv nBte bv| GB e`vcti tKvb AvciE MhY Kiv nBte bv|
- 34| mdj `i`vZvi Kvh`k-G UvKvi cwi gvY Kg tekx nBtj tKvb cKvi AvciE Kiv hvBte bv|
- 35| MpxZ guj vgtj i me0b` i MpxZ nBtj I BDRvi KZK cixqv wixqv ci guj vgtj MpxZ bv nBtj KZq guj vgtj Mhb Kwi tZ eva` btb| mieivn KZ guj vgtj msukewfvMi BDRvit i gZvtZi wfvEz MhY Kiv nBte|
- 36| A1 nvmcvZvtj i tvti iwqZ bgbv Abhvqx (c0hvR` tttt) `i`vLj Kwi tZ nBte| `ic1 cKvtki ci w`b nBtZ `ic1 `vLjtj i ceP b chS-(Awdm Pj vKvj xb mgta) QwU w`b e`wZ tvti wKcvti i woku bgbv t`Lv hvBte|
- 37| KZq B`Qv Kwi tZ AvMgx 30-06-2015 Bs Zwi tLi ctieZx03 (wZb) gvtmi Rb` A_ev bZb `ic1 MpxZ bv nl qv chS-mieivtni tgqv` ep` Kwi tZ cwi teb Ges MpxZ `tiB wby` wKv`vi tK guj vgtj mieivn Kwi tZ nBte|
- 38| GB `ic1 wmwDttj i kZej xi tKvb kZ`ic1 `vZv cvj b Kwi tZ e`_nBtj ev wmwDttj i Pwin`v tgvZvteK KvMRC1 mshy/Rgv bv w`tj Zvni `ic1 ewZj ewj qv wetePZ nBte|
- 39| cKex GgGmAvi Gi tttt j`vetti Uix KZK tUw=s Gi LiP mieivnKvixK enb Kwi tZ nBte|
- 40| GB `ic1 wmwDttj i kZej xi tKvb kZ`ic1 `vZv cvj b Kwi tZ e`_nBtj Zvni `ic1 ewZj ewj qv wetePZ nBte|
- 41| wmwDttj i AvBtUg bs 14, 16, 85, 86, 124, 125, 126, 241, 244 I 245 Gi bgbv Aek`B `ic1 i mt`vLj Kwi tZ nBte, Ab`_vq H AvBtUg,tj v Non response wmwte Mb` nBte|
- 42| GB tmev LvZi e`q ivR`^l Dbq`bi LvZ t_tK wUv`bv nBte|



cwi Pvj K I Aa`vcK
 b`vkbyj BbwnUDU Ae wKWbx wWwRtRm GU BDti vj Rx,
 tki -B-ersj v bMi , XvKv|

A½xKvi bvgv

eivei

cwi Pvj K I Aa`vcK

b`vkbyj BbwiUDU Ae wKWbx wWwRtRm GÜ BDti vj Rx,

tki -B-evsj v bMi , XvKv|

Awg / Avgiv wba`¶¶i Kvix `icT`vZv GB gtg`m`sz Ávcb Kwi tZiQ th, AÎ wmwWDtj `wLj KZ `i Abjvfti gvj vgvj mieivtñi t¶¶t 2014-2015 Bs A_ermti i Rb` A_ev ewaZ mgqKvtj i Rb` mieivtñi Kvht`k cÜvb Kiv nBtj Dnvi hveZxq kZfej x cvj tb eva`_wKv| MpxZ bgbv tgvZvteK mi Kvix wbt`¶k `è`w` mieivn Kwi tZ AsMxKvivex| tKvb Ae`vtZB gvj vgvj mieivn weivNz Kwie bv| mieivn e`vnZ nBtj KZ¶¶ Avgvi / Avgvt`i wei`tx AvBb tgvZvteK cÜqvRbxq e`e`v MhY Kwi tZ cwi teb| ZrvvtZ tKvb cKvi I Ri AvciE`_wKvte bv Ges Kwi tZ I Zrvn Mh` nBte bv|

Avgvi / Avgvt`i `icT MpxZ nBtj Kvht`k ewYz kZfej x Ges tUÜvi wmwWDtj Dvj wZ kZ`mgn Pw³i tgvv`Kvj chS-(ewaZ mgqmn) h_vh_fvte cvj tb me`vB eva`_wKv| wmwWDtj ewYz kZfej x cvj tb e`_ñBtj KZ¶¶ Avgvi / Avgvt`i wei`tx AvBbMZ th tKvb Kvht`k e`e`v MhY Kwi tZ cwi teb|

Avgvi/Avgvt`i e`emvqx cÜZvfti MVbZtSj tKvb cwi eZB nBtj Zrv¶¶wK wj wLZfvte nvmcvZvj KZ¶¶tK AevnZ Kwie hvvtZ cÜ³b tKvb m`m` GB Pw³i kZ`ñBtZ Aeg³ bv nBtZ cvti Ges bZb tKvb m`m`I MpxZ ev AS¶³ nBtj ev wKv`vi tKvb cwi eZB nBtj I Zrv¶¶wK AevnZ Kwie|

AÎ tUÜvti i Pw³ cwi Pvj bvt`_mi Kvi th tKvb KgRZ¶¶ `wqZi AcB Kwi tZ cvti b Ges Awg/Avgiv ev cÜZwba Zrvvi wbt`R cvj tb eva`_wKv| mieivn Pw³i cÜmw½k wltq KZ¶¶¶¶i gtbvbxZ ¶¶gZvcÜB cÜZwba ev mvt`KvgwÜ KZ¶¶ eRßKZ `è`w` Zrv¶¶wKfvte Acwib/`vbrS` Kwi qv Dnvi cwi etZ`Pwv`v Abjvqx cbivq DrKó `è`w` mieivn Kwi tZ eva`_wKv| Gt¶¶t gvj vgvj enb ev tKvb `te`i ¶¶wZ mwvaZ nBtj I Dnvi Rb` tKvb cKvi wej ev Awak tKvb Avw`R mjevav `vex Kwi tZ cwi ebv|

nvmcvZvj KZ¶¶ ev ¶¶gZvcÜB gtbvbxZ cÜZwba/KgRZ¶¶ wbt`R tgvZvteK I Pwv`vi tcf¶¶tZ h_vmgtq gvj vgvj mieivn Kwi tZ eva`_wKv| mieivtñi tKvb cKvi wej `ev Mwdj wZ Kwie bv| hiv` Awberh`Kvi tb gvj vgvj mieivtñi wej `NtU Zte KZ¶¶ cÜqvRbtevtá D³ gvj vgvj `vbxq evRvi nBtZ ev Ab` tKvb Drm nBtZ µq Kwi tZ cwi teb| tmB t¶¶t hw` `te`i `i MpxZ `i Atc¶¶v tekx nq Zte D³ gj` Awg/Avgiv cwi enb LiPmn cwi tKva Kwi tZ eva`_wKv Ges tUÜvti MpxZ `i tgvZvteK wej `vex Kwie| gvj vgvj mieivtñi Rb` AwMg tKvb wej `vex Kwie bv| mi Kvi KZ¶¶ Znvej eiví bv nI qv chS-tKvb wej `vex Kwie bv| Pwv`v tgvZvteK gvj vgvj mieivn Kwi tZ eva`_wKv|

gvj vgvj mieivtñi wej cÜBtZ KLbl wej `nBtj I Pwv`v tgvZvteK h_viwZ wbcwgZfvte mieivn KvR Ae`vnZ i wLtZ eva`_wKv| tKvb Ae`vtZB mieivn weivNz Kwie bv|

`¶¶xt `icT`vZvi `¶¶it -----

bvgt cb`WKvbt -----

wKvbt

`icĀ`vZv KZK cjb KwĭtZ nBtē

`icĀ (weeiY/bvg) t

eivei

cwi Pvj K I Aa`vcK

b`vkbvj BbuóUUDU Ae wKWbx wWwRtRm GŪ BDtĭvj Rx,

tĭki-B-evsj v bMi, XvKv|

AĀ `icĀtĭi minZ Awg/Avgiv `icĀ RvgvZ wnmvte th tc-AWĀ `wLj Kwĭj vg Zvni we`wiZ weeiY wbtē cŌ Ē nBj

e`vsK WdU/tc-AWĀ bĀt	Zwi L	UvKvi cwi gvb	BmjKvix e`vsĭKi bvg I wKvbtv	`icĀ `vZvi `vĭi I mxj

Awg/Avgiv `icĀtĭ KZKvĥnBtj Avgvi cŌB wētj i tPK wgdDĭj wEZ e`vsK GKvDĭUi gva`tg Mĭb KiĭZ B`QK|

GKvDĭUi bvg	e`vsĭKi bvg	kvLv	GKvDĭU bs	`icĀ `vZvi `vĭi I mxj

`vĭxt

`icĀ`vZvi `vĭit -----

`vĭx `vĭi I Zwi Lt

cb`WKvbt -----

cY`bvg I wKvbt

2014-2015 সালের অর্থের জন্য গগমবি বিক্রয়

SI No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
1.	Attraumatic Vicryl Rapid (Ethicon)	No-3/0				
2.	Attraumatic Vicryl Round Body (Ethicon)	No-1 No-1/0 No-2/0 No-3/0 No-4/0 No-5/0				
3.	Attraumatic PDS 11(Ethicon)	No-1/0 No-2/0 No-3/0 No-4/0 No-5/0				
4.	Weight Machine					
5.	B P Machine (Anaroid)	(Adult)	Japan			
6.	B P Machine (Anaroid)	(Child)	Japan			
7.	Thermometer		China			

Sl No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
8.	Medicine Trolley	As Per Sample				
9.	Patient Trolley	As per Sample				
10.	Wheel Chair	As Per Sample				
11.	Bed Side Locker	As Per Sample				
12.	Nebulizer Machine	Standard				
13.	Gluko Meter					
14.	Haemodialysis Femoral Catheter (Double lumen With guidewire and dilator) 18 cm	Adult				
15.	Medicine Tray With Cover	As per Sample				
16.	Haemodialysis Jagular Catheter (Double lumen with dilator & Guide Wire)13-15 cm	Adult/child				
17.	Spinal Needle (Spinocain)	No- 25 G				
18.	Endotracheal Tube	3.5 mmid				
19.	Endotracheal Tube	4.0 mmid				
20.	Endotracheal Tube	4.5 mmid				
21.	Endotracheal Tube	5.0 mmid				
22.	Endotracheal Tube	5.5 mmid				
23.	Endotracheal Tube	6.0 mmid				
24.	Endotracheal Tube	6.5 mmid				
25.	Endotracheal Tube	7.0 mmid				

Sl No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
26.	Endotracheal Tube	7.5 mmid				
27.	Endotracheal Tube	8.0 mmid				
28.	Endotracheal Tube	8.5 mmid				
29.	Laryngoscope (With 3 Blade)	Adult				
30.	Laryngoscope(With 3 Blade)	Child				
31.	URS –forceps					
32.	URS-Probe					
33.	Laparoscopic biopsy forcep for stroz instrument					
34.	PCNL-Lithotripter probe					
35.	PCNL-Forceps					
36.	Urodynamic Paper for andromeda urodynamic machine					
37.	Bed Side Screen	As per Sample				
38.	Test Tube	2”	China			
39.	Test Tube	3”	China			
40.	Test Tube	4”	China			
41.	Test Tube	6”	China			
42.	Eppendorf Tube	5 ml 1000 Pcs/Box	China			
43.	Test Tube Rack	50 Holl				
44.	Test Tube Rack	36 Holl				
45.	Test Tube Rack	20 Holl				

SI No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
46.	Petridish (Glass)	4// 5// 6//	Japan/ France/UK			
47.	Test Tube Washing Brush					
48.	Droper (Plastic)	5 ml (100 Pcs/Box)				
49.	Glass Slide	72Pcs/Box				
50.	Cover Slip	(18x18) 100 PcsBox	Germany			
51.	Cover Slip	(22x22) 100 PcsBox				
52.	1 Hour Mechanical Timer With alarm					
53.	Steel Tray (Surgical Tray)	As per Sample				
54.	Screw Capped Test Tube	6"	China			
55.	Whatmen Filter Paper 11.5 cm	100Pcs Box				
56.	Filter Paper Round	11'' 100 Pcs Box				
57.	Brown Paper	2''x2''				
58.	Tip White/Yellow(For micro pipette)	1000/Box				
59.	Tip Blue (For micro pipette)	1000/Box				
60.	Tip for 10 ml Pipette	100/Box				
61.	Yellow Tips (1-200 ml)	100 Pcs Box	Japan			
62.	Tip (100-1000 micro ltr)	1000/Box				

Sl No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
63.	Tip (10-50 micro ltr)	1000/Box				
64.	Lifter (Stain less Steel)					
65.	Socking Tray (Big)					
66.	Gali Pot ss					
67.	Drum (Big) SS	As per Sample				
68.	Drum (Medium) SS	As Per Sample				
69.	Micro Burate Set	100 ml				
70.	Blood Transfusion Set	100 ml				
71.	Saline Set					
72.	Colostomy Bag					
73.	Cold Knife		To be used in Storz Instrument			
74.	Conical flux	1000 ml	China			
75.	Conical flux	500 ml	China			
76.	Measuring cylinder	100 ml	China			
77.	Measuring cylinder	500 ml	China			
78.	Glass beaker	1000 ml	China			
79.	Glass beaker	500 ml	China			
80.	Ball Electrode	27050N	To be used in Storz Instrument			

SI No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
81.	BNI Knife (Colins Knife)	27050L	To be used in Storz Instrument			
82.	Cutting Loope		To be used in Storz Instrument			
83.	Eliks Evacuator					
84.	Diathermy Handle Finger Tip Switch	Standard				
85.	Dormia Basket	No-2.5				
86.	Dormia Basket	No-4.5				
87.	Double J Stent (Padiatric)	2.5 Fr				
88.	Dounle J Stent	3.0 Fr				
89.	Double D-J Stent	6 Fr				
90.	Dounle D-J Stent	5 Fr				
91.	Drainage Tube	No-12 No-14 No-16				
92.	Drassing Trolley (Stainless Steel)	As Per Sample				
93.	Feeding Tube JMS	No-6 Fr No-8 Fr No-10 Fr No-12 Fr No-14 Fr No-16 Fr				
94.	Butterfly Needle	No- 19 G				

SI No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
95.	Irrigation Channel (Twin) Disposable					
96.	Guide Wire (Teremo) 145 cm in length	No-.25 Fr No-.35 Fr No-.38 Fr				
97.	Puncture Needle	18 G	(To be used With Storz Instrument)			
98.	Facial Dialator Set		(To be used with Storz instrument)			
99.	TURP LOOP (24 ich resectoscope)	27050 DG	(To be used with Storz instrument)			
100.	Ureteric Catheter	No-3 fr No-4 fr No-5 fr No-6 fr				
101.	Metalic S P C Set (Trokar Canula)					
102.	Ureteric Catheter Open tip	No-5Fr No-6Fr				
103.	Saline Stand	As per Sample				
104.	Kidney Tray With Cover(Stainless Steel)	As per Sample				
105.	Sterilizer Machine	As per Sample				
106.	Enema Can					
107.	Ureteric Catheter Stent					

SI No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
108.	OT Spot Light					
109.	Micropipette Adjustable(05- 50 µl)					
110.	Micropipette Adjustable(100-1000 µl)					
111.	Micropipette Adjustable(1000- 5000 µl)					
112.	ESR Stand	5 Holl				
113.	ESR Tube (Pipette)	12 Pcs/Pack				
114.	Capillary Tube (BT/CT)	100Pcs/Box	China			
115.	Filter Paper(Round)11”	100Pcs/box				
116.	Nasal Tube					
117.	Air way Tube					
118.	Blood Lancet	200Pcs/ Pack	Japan/Korea /Pakistan			
119.	USG Printing Paper (Sony/ Mitsubishi type-V High GlossyVPP-110 HG)	AS Per Sample	Japan			
120.	USG Gel (5 Litter Each)					
121.	X-Ray Film(Dry Pix for Digital X- Ray) Fuji (100 sheets/box)	(14”x17”) 35 x 43 cm	Fuji, Japan			
122.	X-Ray Film(Dry Pix for Digital X- Ray) (150 sheets/box)	(10”x14”) 26 x 36 cm	Fuji, Japan			
123.	Leucoplast	5”				
124.	AV Line (Blood Line) Universal	Adult				

SI No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
125.	Dialyzer (Hollowfiber, Polysulphone dialyzer, Surface area 1.3-1.5 m ²)	Adult				
126.	Dialyzer (Hollowfiber, Polyethersulphone dialyzer, Surface area 1.3-1.5 m ²)	Adult				
127.	Stethoscope					
128.	Slide Keeper Box					
129.	Ophthalmoscope	For child	Japan/ Germany			
130.	Ophthalmoscope	For Adult	Japan/ Germany			
131.	Lamp for Prestige 24i Tokyo Boeki	01pc/pack				
132.	Cuvette for Prestige 24i Tokyo Boeki	60pcs/pack				
133.	Sample Probe for Prestige 24i Tokyo Boeki	01 set				
134.	Reagent Probe for Prestige 24i Tokyo Boeki	01 set				
135.	Reagent Cooling System for Prestige 24i Tokyo Boeki	01 set				
136.	O- Ring for Prestige 24i Tokyo Boeki	01 set				
137.	Teflon Tube for Prestige 24i Tokyo Boeki	02 pcs/pack				
138.	Line Filter (GT-21 5J)for Prestige 24i Tokyo Boeki	01 set				

Sl No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
139.	Water Filter for Prestige 24i Tokyo Boeki	05 pcs/pack				
140.	36 Item Reagent Tray for Prestige 24i Tokyo Boeki	01 set				
141.	Wash solution filter for Prestige 24i Tokyo Boeki	01 set				
142.	UPS one line for Prestige 24i Tokyo Boeki					
143.	Water Supply Tube Set A for DP-1 for Prestige 24i Tokyo Boeki	01 set				
144.	Water Supply Tube Set B for DP-2 for Prestige 24i Tokyo Boeki	01 set				
145.	Water Supply Tube Set E for CWS for Prestige 24i Tokyo Boeki	01 set				
146.	Mixing Pump Tube set –A for MU-1 for Prestige 24i Tokyo Boeki	01 set				
147.	Mixing Pump Tube Set B for MU-2 for Prestige 24i Tokyo Boeki	01 set				
148.	Potassium Sensor for Nova -4 Electrolyte Analyzer	Pc				
149.	Lithium Sensor for Nova -4 Electrolyte Analyzer	3/Pk				
150.	TCO2 Sensor for Nova -4 Electrolyte Analyzer	Pc				
151.	W/H/R Pump Tubing for Nova -4 Electrolyte Analyzer	Pc				
152.	Reference Sensor for Nova -4 Electrolyte Analyzer	Pc				
153.	TCO2 Mixer for Nova -4 Electrolyte Analyzer	Pc				

Sl No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
154.	Air Detector for Nova -4 Electrolyte Analyzer	Pc				
155.	Reagent Harness Line for Nova -4 Electrolyte Analyzer	Pc				
156.	Display CRT-4 for Nova -4 Electrolyte Analyzer	Pc				
157.	Sodium Sensor for Nova -4 Electrolyte Analyzer	Pc				
158.	Chloride Sensor for Nova -4 Electrolyte Analyzer	4/Pk				
159.	TCO2 Membrane Cup Kit for Nova -4 Electrolyte Analyzer	6/Pk				
160.	Printer Paper for Nova -4 Electrolyte Analyzer	Roll				
161.	S-Line Tubing for Nova -4 Electrolyte Analyzer	6/Pk				
162.	Key-Pad for Nova - 4 Electrolyte Analyzer	Pc				
163.	Halogen Lamp for State Fax 3300 semi auto biochemistry analyzer	1 pc				
164.	Tubing Internal for State Fax 3300 semi auto biochemistry analyzer	1 pc				
165.	Motor for State Fax 3300 semi auto biochemistry analyzer	1 pc				
166.	Filter Set for State Fax 3300 semi auto biochemistry analyzer	6 pcs				
167.	Probe Set for State Fax 3300 semi auto biochemistry analyzer	1 pc				

Sl No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
168.	Paper for State Fax 3300 semi auto biochemistry analyzer	1 pc				
169.	Waste Jar for State Fax 3300 semi auto biochemistry analyzer	1 pc				
170.	Aspiration Tube for Eppendorf semi auto biochemistry analyzer	3pcs				
171.	Halogen Lamp for Eppendorf semi auto biochemistry analyzer	1 set				
172.	Filter Set for Eppendorf semi auto biochemistry analyzer	1 set				
173.	Silicon Clamp for Eppendorf semi auto biochemistry analyzer	1 set				
174.	Sipper Assembly for Eppendorf semi auto biochemistry analyzer	1 set				
175.	Tube Probe for Eppendorf semi auto biochemistry analyzer	2pcs				
176.	Cuvette Support for Eppendorf semi auto biochemistry analyzer	1 set				
177.	Key Pad for Eppendorf semi auto biochemistry analyzer	1 pc				
178.	Microtome blade	50 per box				
179.	Blade (Frozen section)	50 per box				
180.	Voltage stabilizer 30 KVA (for Multihead microscope)					
181.	Block Jar (Steel)					
182.	Slide tray (stainless)					
183.	Disposable syringe with needle	3ml				

SI No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
184.	Disposable syringe with needle	5ml				
185.	Disposable syringe with needle (JMI – KB)	10 ml				
186.	ECG Paper	as per sample				
187.	Urine bag	as per sample				
188.	Blood lancet	200 per pack	Korea			
189.	D/J stent	4 FR (16cm)				
190.	Iron Cot (MS) Per Pcs	Size: L-84" W-37", Leg frame: M.S tube 1½", Height –Foot size 27", Head side 32", Vertical supports by M.S tube of ½" Horizontal cross bar M.S tube body ; body mass of M.S Angle 1½"x1½"x2" Suta top: Garzun wooden plank 36"x3"x1" to be fitted at a distance of 3". Parts of 6 Pcs & individually attached as per standard system. The body to be fitted with the leg frames by clamp and pin to be detachable. Each wooden part should be fixed with body frame by 4 (four) Nos. 10 mm nut & bolt should be painted. Minimum 03 years warranty and after sales service				

SI No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
191.	Iron Cot (Special Type) Per Pcs	Measurement:-Length:-84", Breadth: 37", Height:36"-37"; Head side and front side should be made of S.S tube; Haisa should be made M.S Angle with 2"x2"x2"tube. Bed should be made of ¾"x¾"x20G. Square base pipe and to be fitted at a distance of 3" form one pipe to another; Bed should be painted by Electro static powder. Minimum 03 years warranty and after sales service				
192.	O ₂ Flowmeter (Per Pcs)	Universal				
193.	Allis' Tissue Forceps	6" 8" 9"	Asculab Germany or equivalent standard			
194.	Artery Forceps Curved	4" 6" 8" 9"	Asculab Germany or equivalent standard			
195.	Artery Forceps Straight	4" 6" 8" 9"	Asculab Germany or equivalent standard			
196.	Biopsy Needle (True Cut Monopti Biopsy Gun 14G)		Bard, Germany			

Sl No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
197.	Bulldog Vascular Clamp Straight	Medium Small	Asculab Germany or equivalent standard			
198.	Bulldog Vascular Clamp Curved	Medium Small	Asculab Germany or equivalent standard			
199.	Bone Cutting Chiggel	Large Medium	Asculab Germany or equivalent standard			
200.	Cuscos Vaginal Retractor	Large Medium Small	Asculab Germany or equivalent standard			
201.	Bone Nibbler	Large Medium	Asculab Germany or equivalent standard			
202.	Deavers Retrector	Wide Bladed Medium Bladed Narrow Bladed	Asculab Germany or equivalent standard			

SI No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
203.	Debaki Forcep	1 mm # 4''6''9'' 2 mm # 4''6''9'' 6 mm # 4''6''9'' 8 mm # 4''6''9''	Asculab Germany or equivalent standard			
204.	Dialator Haggars(Sets of 12 Pcs)		Asculab Germany or equivalent standard			
205.	Diatharmy HandleFinger Tip Switch	Standard	Compatable with Force FX Germany			
206.	Dilator Urethral: Male Female		Asculab Germany or equivalent standard			
207.	Dissecting Forceps Tooth	4'' 6'' 8'' 9''	Asculab Germany or equivalent standard			
208.	Dissecting Forceps Plain	4'' 6'' 8'' 9''	Asculab Germany or equivalent standard			

SI No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
209.	Dissecting Scissors: (Mayo's) Heavy Duty	Long Fine Medium Fine Small Fine Long Medium Small	Asculab Germany or equivalent standard			
210.	Gastrojejunostomy Clamp		Asculab Germany or equivalent standard			
211.	Iris Scissor Straight Curved		Asculab Germany or equivalent standard			
212.	Iris Forceps Tooth		Asculab Germany or equivalent standard			
213.	Iris Forceps Plain		Asculab Germany or equivalent standard			
214.	Lid Retractor	Short Long	Asculab Germany or equivalent standard			

Sl No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
215.	Langhanback Retractor		Asculab Germany or equivalent standard			
216.	Sinus Forceps		Asculab Germany or equivalent standard			
217.	Sins Retractor (Gilvernet)	Large Medium Small	Asculab Germany or equivalent standard			
218.	Intestinal Clamp		Asculab Germany or equivalent standard			
219.	Mayo Trolley		Asculab Germany or equivalent standard			
220.	Proctoscope	Adult Paediatric	Asculab Germany or equivalent standard			
221.	Periosteum Elevator		Asculab Germany or equivalent standard			

SI No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
222.	Rib Share (Rib Cutting Scissor)	Large Medium	Asculab Germany or equivalent standard			
223.	Hammer	Large Medium Small	Asculab Germany or equivalent standard			
224.	Morris Retractor	Large Medium Small	Asculab Germany or equivalent standard			
225.	Stitch Cutting Scissor		Asculab Germany or equivalent standard			
226.	TC Coated Needle Holder	Coarse Tip: Long Medium Short Fine tip: Long Medium Short	Asculab Germany or equivalent standard			
227.	Self Retaining Abdominal Retractor	Large Medium Small	Asculab Germany or equivalent standard			

SI No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
228.	Monihanas Artery Forceps	6" 8" 9" 12"	Asculab Germany or equivalent standard			
229.	Lehey's Forceps (Pedicle Clamp)	6" 8" 9" 12"	Asculab Germany or equivalent standard			
230.	Satinisky Vascular Clamp	Large Medium Small	Asculab Germany or equivalent standard			
231.	BP handle	No. 3 No. 4	Asculab Germany or equivalent standard			
232.	Self Retaining Cats Paw Retractor	Large Medium Small	Asculab Germany or equivalent standard			
233.	Vicryl Plus (Polyglactin 910 with Triclosan)	No. 1				
234.	Vicryl Plus (Polyglactin 910 with Triclosan), Violet Braided Antibacterial 90 CM, 1/2 Circle, Round Body, 40 MM Needle)	No. 1/0				

SI No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
235.	Vicryl Plus (Polyglactin 910 with Triclosan), Violet Braided Antibacterial 90 CM, 1/2 Circle, Taper Cut, 40 MM Needle)	No. 1/0				
236.	Vicryl Plus (Polyglactin 910 with Triclosan), Violet Braided Antibacterial 90 CM, 1/2 Circle, Round body, 30 MM Needle)	No. 2/0				
237.	Vicryl Plus (Polyglactin 910 with Triclosan), Violet Braided Antibacterial 90 CM, 1/2 Circle, Reverse cutting , 40 MM Needle)	No. 2/0				
238.	Vicryl Plus (Polyglactin 910 with Triclosan), Violet Braided Antibacterial 45 CM, 3/8 Circle, Round body , 20 MM Needle)	No. 3/0				
239.	Vicryl Plus (Polyglactin 910 with Triclosan), Violet Braided Antibacterial 45 CM, 3/8 Circle, Cuttubg , 22 MM Needle)	No. 3/0				
240.	Vicryl Plus (Polyglactin 910 with Triclosan), Violet Braided Antibacterial 70 CM, 1/2 Circle, Round body, 20 MM Needle)	No. 4/0				
241.	Diasafe plus					
242.	Inj. Heparin	5000 iu/ml/vial	Germany/ Denmark			
243.	Inj. Halosin	250 ml/bottle				

SI No.	Name of item	Pack size/ Description	Country of origin	Unit Price (Taka) per pack including VAT & Tax	Total Price	Total Price (Taka) in words
244.	MR _vb (GeRi te>U weRW MR _vb) mw`v c0Z _vb	16 MR j ¼ x 32'' (350 M0g I Rþbi)				
245.	MR _vb (GeRi te>U weRW MR _vb) bxj c0Z _vb	16 MR j ¼ x 32'' (350 M0g I Rþbi)				
246.	URS grasper	Compatible with Storz equipment				
247.	Continuous resectoscope sheath with obturator	Compatible with Storz equipment				
248.	Probe to be used in PCNL for ultrasonic lithotripter	Compatible with Storz equipment				
249.	Rigid stent removal forcep	Compatible with Storz equipment				
250.	Working element	Compatible with Storz equipment				
251.	Centrifuge tube with Cap	100 Pcs/Box	China			
252.	40- Project (Microscope_NIKON)		Korea			
253.	Block Jar (steel)	as per sample				
254.	Scissor	as per sample				
255.	Slide Tray (ss)					
256.	Knife (large)					
257.	Cuvette for Chemwell	13 Pc/Box				
258.	Lamp for Chemwell					